

Work Order ID 71904

Wednesday, July 13, 2011 11:17:12 AM

Page 1

Item ID: D3196-4

Accept

Revision ID:

Item Name: Bar

Start Date: 7/14/2011 Start Qty: 4.00

Required Date: 7/28/2011 Req'd Qty: 4.00

Reference:

Cust Item ID:

Customer:

Approvals:

Process Plan: *mf*

Date: *11-07-13*

Tooling:

Date:

QC:

Date:

SPC (Y/N):

Date:

Run Start

Stop

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

Draw Nbr

Revision Nbr

D3196

Rev C

100

0.00



BAND SAW

Bandsaw

Memo

0.00

Jeaspa Bandsaw

Cut blank: (0.75" x 1.50") x 34.750" long Bar

mf 11/09/12

8 0

110

0.00



HAAS CNC VERTICAL MACHINING #1

HAAS 1

Memo

0.00

HAAS CNC vertical machine #1

1-Machine D3196-4 as per Folio FA339 and Dwg D3196-4□2-Deburr

IL/RQ 11.9.6

8 0

PTB

120

0.00



QC2- Inspect parts off machine FAI/FAIB

QC

Memo

0.00

Quality Control

IL/RQ 11.9.6

8 0

W/O: 71904		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: DB196-4 PAR #: _____ Fault Category: Mechanical NCR: Yes No DQA: OK Date: 11/09/12
 Resolution: Scrap Disposition: Scrap QA: N/C Closed: OK Date: 11/09/12

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			
11/09/06	110	1 part scrap, put in wrong direction. R.L. operator error LOA	<u>[Signature]</u> 05/11/12	scrap and destroy replace Qty 1 Batch # <u>M118182</u>	<u>[Signature]</u> 11/09/07	<u>[Signature]</u> 11/09/07	<u>[Signature]</u> 05/11/12	<u>[Signature]</u> 11/09/07

NOTE: Date & initial all entries

Work Order ID 71904

Wednesday, July 13, 2011 11:17:12 AM



Page 2

Item ID: D3196-4

Accept



Setup Start



Revision ID:

Item Name: Bar

Stop



Start Date: 7/14/2011 Start Qty: 4.00



Cust Item ID:

Required Date: 7/28/2011 Req'd Qty: 4.00



Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

130

QC8- Inspect parts - second check

0.00



QC

Memo

0.00

Quality Control

B.A 11/09/06

8 0

140

Chemical Conversion Coat per QSI005 4.1

0.00



HandFinish

Memo

0.00

Hand Finishing

8x 0 m-l 11/09/07

150

Grey Sandtex(Ref:4.3.5.6) per QSI005 4.3

0.00



Powdercoat

Memo

0.00

Powder Coating

START TIME:

FINISH TIME:

OVEN TEMPERATURE:

12:50

320°F

1:20

8x 0 m-l 11/09/07

M117338

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 71904

Wednesday, July 13, 2011 11:17:12 AM



Page 3

Item ID: D3196-4

Accept



Setup Start



Revision ID:

Stop



Item Name: Bar

Start Date: 7/14/2011 Start Qty: 4.00



Cust Item ID:

Required Date: 7/28/2011 Req'd Qty: 4.00



Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start



QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop



Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160	QC3- Inspect Part Finish	0.00							
QC	Memo	0.00							
Quality Control									
170	Identify as per dwg & Stock Location <u>260</u>	0.00							
Packaging	Memo	0.00							
Packaging									
180	QC21- Final Inspection - Work Order Release	0.00							
QC	Memo	0.00							
Quality Control									

8 0 11/09/07

8x

11-09-07

11/9/08

ME 11-09-08

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Wednesday, July 13, 2011 11:17:09 AM

Page 1

Work Order ID: 71904



Parent Item: D3196-4



Parent Item Name: Bar

Start Date: 7/14/2011

Required Date: 7/28/2011

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP Rev: A New Issue 05-11-08 JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M6061T6B0.750X01.50 0		Purchased		No		100	f	63.5746	2.89	12.16842			



6061-T6 Bar .750 X 1.50

Location

Loc Qty

Loc Code

MAT003

63.5746

116405

0.4492

116604

1.5

116623

1.6254

→ 118182

60

24.4 mR 11/09/02

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART AEROSPACE LTD		Work Order: 71984
Description: Bar		Part Number: D3196-4
Inspection Dwg: D3196	Rev: C	Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
34.625	+/-0.010	34.625	/		RQ.02	
33.650	+/-0.010	33.650	/		RQ.14	
16.639	+/-0.010	16.639	/		A/1000	
0.488	+/-0.010	.488	/			
0.962	+/-0.005	.962	/			
0.464	+/-0.010	.462	/			
0.504	+/-0.010	.502	/			
Ø0.344	+0.006/-0.001	.345	/			
Ø0.660 x 100°	+0.008/-0.001 x 0.5°	.660	/			
0.512	+/-0.005	.512	/			
0.060 x 45°	+/-0.010 x 0.5°	.060	/			
4.750	+/-0.010	4.751	/			
12.531	+/-0.010	12.531	/			
16.627	+/-0.010	16.627	/			
21.844	+/-0.010	21.844	/			
29.625	+/-0.010	29.625	/			
0.250	+/-0.010	.251	/			
1.000	+/-0.010	.999	/			
R0.125	+/-0.010	2.125	/			
0.987	+/-0.010	.990	/			

Measured by: RF	Audited by: B.A	Preliminary Approval:
Date: 11.9.6	Date: 11/09/06	Date:

Rev	Date	Change	Revised by	Approved
A	04.04.20	New Issue	KJ/RF	
B	06.10.24	Dwg Rev updated	KJ/JLM	
C	11.06.21	Dwg Rev updated	KJ	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DRAWING NO. D3196	TITLE BAR	REV. C	DART AEROSPACE LTD ENGINEERING ORDER		D.E.O. NO. D3196-C-1	SHEET NO. SHEET 1 OF 2	SCALE NTS
DRAWN ASS	CHECKED	MFG. APPR.	APPROVED	DE APPR.			
DATE 08.08.27	DATE 08.08.28	DATE 08.08.29	DATE 08.08.29	DATE 08.09.04			


SHEET 1 MODIFY SLOT DIMENSIONING ON D3196-1 AS SHOWN:

IS:



D3196-1 BAR


WAS:



D3196-1 BAR


SHEET 2 MODIFY SLOT DIMENSIONING ON D3196-3 AS SHOWN:

IS:



D3196-3 BAR


WAS:



D3196-3 BAR


SHEET 3 MODIFY SLOT DIMENSIONING ON D3196-4 AS SHOWN:

IS:



D3196-4 BAR

WAS:



D3196-4 BAR

#71904

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries


DRAWING NO. D3196	TITLE BAR	REV. C	DART AEROSPACE LTD ENGINEERING ORDER		D.E.O. NO. D3196-C-1	SHEET NO. SHEET 2 OF 2	SCALE NTS
DRAWN <i>ALS</i>	CHECKED <i>[Signature]</i>	MFG. APPR. <i>[Signature]</i>	APPROVED <i>[Signature]</i>		DE APPR. <i>[Signature]</i>		
DATE 08.08.27	DATE 08.08.28	DATE 08.08.29	DATE 08.08.29	DATE 08.08.29	DATE 08.09.04		




SECTION B-B




DETAIL A




SECTION D-D



DETAIL C



SECTION F-F



DETAIL E

#7904

NOTE: THIS CHANGE HAS BEEN DONE TO CLARIFY SLOT DIMENSIONS ONLY. NO CHANGES HAVE BEEN MADE TO THE PARTS
SEE NCR 08-051 FOR FURTHER INFORMATION
ALL OTHER INFORMATION REMAINS UNCHANGED

COPYRIGHT © 2003 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS
NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT
WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART

de. 10. 31

DEO ATTACHED



DESIGN	90	DRAWN BY	JS	DART AEROSPACE LTD HAMKESBURY, ONTARIO, CANADA		REV. C
CHECKED	PH	APPROVED	[Signature]	DRAWING NO.	D3196	SHEET 1 OF 3
DATE	06.10.31			TITLE	BAR	
A	03.06.25			NEW ISSUE		
B	06.09.25			ADD D3196-5		
C	06.10.31			ADD SLOTS ON -1; REMOVED -5		

D3196-1 BAR

- 1) MATERIAL: 6061-T6/T651 ALUMINUM (QQ-A-200/8 OR QQ-A-225/8)
(REF DART SPEC. M6061T6B)
- 2) BREAK ALL SHARP EDGES 0.005 TO 0.010
- 3) FINISH: ACID ETCH AND ALODINE PER DART QSI 005 4.1
POWDER COAT GREY SANDTEX (4.3.5.6) PER DART QSI 005 4.3
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES

71901

Copyright © 2003 by DART AEROSPACE LTD

Copyright © 2003 by DART AEROSPACE LTD

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART

DEO ATTACHED

RELEASED
06-10-31



D3196-3 BAR

- 1) MATERIAL: 6061-T6/T651 ALUMINUM (QQ-A-200/8 OR QQ-A-225/8)
(REF DART SPEC. M6061T6B)
- 2) BREAK ALL SHARP EDGES 0.005 TO 0.010
- 3) FINISH: ACID ETCH AND ALODINE PER DART QSI 005 4.1
POWDER COAT GREY SANDTEX (4.3.5.6) PER DART QSI 005 4.3
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES

#71904

DESIGN	90	DRAWN BY		DART AEROSPACE LTD
CHECKED	PH	APPROVED		HAWKESBURY, ONTARIO, CANADA
DATE	06.10.31	TITLE	BAR	REV. C
		DRAWING NO.	D3196	SHEET 2 OF 3
		SCALE	1:5	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____



NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



DEO ATTACHED

RELEASED
06-10-31



D3196-4 BAR

- 1) MATERIAL: 6061-T6/T651 ALUMINUM (QQ-A-200/8 OR QQ-A-225/8)
(REF DART SPEC. M6061T6B)
- 2) BREAK ALL SHARP EDGES 0.005 TO 0.010
- 3) FINISH: ACID ETCH AND ALODINE PER DART QSI 005 4.1
POWDER COAT GREY SANDTEX (4.3.5.6) PER DART QSI 005 4.3
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES

#71904

DESIGN	QC	DRAWN BY	DART AEROSPACE LTD
CHECKED	PH	APPROVED	HAWKESBURY, ONTARIO, CANADA
DATE	06.10.31	DRAWING NO.	D3196
TITLE	BAR	SHEET 3 OF 3	REV. C
SCALE	1:5		

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries